

# Hydrogen production from cotton wastes by mean of dark fermentation

Sołowski G.<sup>1,\*</sup>, Konkol I.<sup>1</sup>, Shalaby M.<sup>2</sup>, Cenian A.<sup>1</sup>

<sup>1</sup>Institute of Fluid Machinery of Polish Academy of Science.; gsolowski@imp.gda.pl, izabela.konkol@imp.gda.pl, cenian@imp.gda.pl

<sup>2</sup>National Research Center in Cairo Department of Chemical Engineering and Pilot Plant; e-mail: [marwashalaby14@gmail.com](mailto:marwashalaby14@gmail.com)

\* Correspondence author: gsolowski@imp.gda.pl ; Tel.: +48-58-699-5327

## Abstract

Dark fermentation of textile wastes is discussed in the paper. In the experiment were used cotton wastes. Before fermentation the cotton was hydrolyzed using 0.1 M of HCl. The inoculum was pretreated using heat shocked for 0.5 h at temperature of 105°C. The fermentation was carried out under conditions: load 5 g/l, pH in the range 5 by 0.1 M of HCl, and oxygen in small quantities was added. The oxygen flow rates (OFR) was 0.008 ml/h. The fermentation was carried out at temperature of 40 °C for one day. In reactors with pretreated inoculum (pH 5) biogas was detected and its content (hydrogen carbon monoxide, carbon dioxide and nitrogen) were determined. Methane was not produced during experiment. The volume of hydrogen for process performed at temperature 40°C 0.168 dm<sup>3</sup> of at biogas content 43%.

**Keywords:** dark fermentation, hydrogen, methane, cotton

## 1. Introduction

Dark fermentation is a kind of anaerobic digestion, during which carbohydrates are transferred into hydrogen, organic acid and carbon dioxide (Detman et al. 2018). According to initial assesments cotton waste are a potential source of hydrogen (Sołowski 2016). As in earlier research, related to sour cabbage fermentation,

microaeration (stimulating hydrogen production) (Sołowski, et al 2018) was applied. In this paper results of cotton waste fermentation tests are shown and discussed.

## 2. Materials and Methods

The fermentation process of cotton wastes was performed in reactors (jars) of volume 2 dm<sup>3</sup>. As inoculum, sludge from a biogas plant in Lubań (Pomerania Region), 5 g/l volatile suspended solids (VSS), were applied to each batch of cotton waste. The reactors were kept under mesophilic conditions (40°C). A substrate (load VSS 5 g/l), delivered from 100% cotton lab coats, was milled and hydrolysed using 0.1 M acidic solution during 2 hour. Then a cotton was added to reactors, pH was 5 The inoculum before process was treated by heat shock for 0.5 h at temperature of 105°C. The oxygen flow rates (OFR) was 0.008 ml/h. The biogas production was determined using the Owen method, but its content was registered using a TCD Gas Chromatograph (GC).

**Table 1.** Comparison of hydrogen production from different substrates (batch process)

| Type of substrate/pretreatment             | Hydrogen Yield (ml H <sub>2</sub> /g subs.) | Type of inoculum                  | Process conditions (g/l/°C/pH) | References                           |
|--|---|-----------------------------------|--------------------------------|--------------------------------------|
| Cotton waste/105°C, 30 min                 | 34  | Heat shocked                      | (5/40/5.0 microaeration)       | This article                         |
| Cotton stalk/no                            | 72.7  | Bacteria from wild carp intestine | 40/37/8                        | (Li et al. 2018)                     |
| Cow dung compost/2 %HCl + 8-min microwaves | 0.5   | Dung Compost                      | (25/36/7.0)                    | (Fan et al. 2006)                    |
| Sunflower cornstalk /diluted HCl           | 2.3   | Activated Sludge                  | (5/35/5.5)                     | (Monlau et al. 2013)                 |
| Microalgal biomass/ heat shock             | 20.9  | Activated Sewage Sludge           | (10/30/7)                      | (Batista, Gouveia, and Marques 2018) |
| Aspen wood/centrifugation                  | 195   | Hot spring culture                | 1.23/50/7                      | (Phummala et al. 2014)               |
| Depackaging wastes/none                    | 1.4   | Untreated sludge                  | (4/37/7)                       | (Noblecourt et al. 2018)             |

### 3. Results

The GC spectra allowed determination of methane, hydrogen, carbon monoxide, carbon dioxide and nitrogen concentrations. The fermentation process with pretreated inoculum (initial pH ~ 5) was continued for 5 hours at temperature 40°C, the biogas contained carbon dioxide, nitrogen and hydrogen.

The results of hydrogen production from cotton were compared with results of dark fermentation of other substrates - see Table 1. The hydrogen yields was larger than from cow dung, microalgal biomass or sunflower but twice less than from cotton stalk and 6 time less than from aspen wood.

### 4. Summary

Cotton at VSS 5 g/l can be a good source of hydrogen. The hydrogen production was at OFR 0.008 ml/h and temperature of fermentation 40°C i.e. 0.168 dm<sup>3</sup> of at biogas content 43% and no methane. The phenomena will be investigated further.

Funding: The research was funded from grant of Institute of Fluid-Flow Machinery, Polish Academy of Science in Gdansk FBW-44 – Solowski and Biostrateg Techrol 'New renewable energy technologies for sustainable development of rural areas and low-carbon agriculture' BIOSTRATEG3/344128/12/NCBR

### References

- Batista, Ana Paula, Luísa Gouveia, and Paula A.S.S. Marques. 2018. "Fermentative Hydrogen Production from Microalgal Biomass by a Single Strain of Bacterium *Enterobacter Aerogenes* – Effect of Operational Conditions and Fermentation Kinetics." *Renewable Energy* 119: 203–9. <https://doi.org/10.1016/j.renene.2017.12.017>.
- Detman, Anna et al. 2018. "Methane-Yielding Microbial Communities Processing Lactate-Rich Substrates: A Piece of the Anaerobic Digestion Puzzle." *Biotechnology for Biofuels* 11(1). <https://doi.org/10.1186/s13068-018-1106-z>.
- Fan, Yao Ting et al. 2006. "Efficient Conversion of Wheat Straw Wastes into Biohydrogen Gas by Cow Dung Compost." *Bioresource Technology* 97(3): 500–505.
- Hallenbeck, Patrick C., Mona Abo-Hashesh, and Dipankar Ghosh. 2012. "Strategies for Improving Biological Hydrogen Production." *Bioresource Technology* 110: 1–9. <http://linkinghub.elsevier.com/retrieve/pii/S0960852412001277>.
- Li, Yanbin et al. 2018. "Biohydrogen Production from Fermentation of Cotton Stalk Hydrolysate by *Klebsiella* Sp. WL1316 Newly Isolated from Wild Carp (*Cyprinus Carpio* L.) of the Tarim River Basin." *Applied Microbiology and Biotechnology* 102(9): 4231–42.
- Monlau, Florian et al. 2013. "Specific Inhibition of Biohydrogen-Producing *Clostridium* Sp. after Dilute-Acid Pretreatment of Sunflower Stalks." *International Journal of Hydrogen Energy* 38(28): 12273–82.
- Noblecourt, Alexandre, Gwendoline Christophe, Christian Larroche, and Pierre Fontanille. 2018. "Hydrogen Production by Dark Fermentation from Pre-Fermented Packaging Food Wastes." *Bioresource Technology* 247(July 2017): 864–70. <http://dx.doi.org/10.1016/j.biortech.2017.09.199>.
- Phummala, Kanthima et al. 2014. "Delignification of Disposable Wooden Chopsticks Waste for Fermentative Hydrogen Production by an Enriched Culture from a Hot Spring." *Journal of Environmental Sciences (China)* 26(6): 1361–68. [http://dx.doi.org/10.1016/S1001-0742\(13\)60612-9](http://dx.doi.org/10.1016/S1001-0742(13)60612-9).
- Sołowski, Gawel. 2016. "Theoretical Potential of Hydrogen Production from Textiles Wastes in Pomeranian Region by Means of Dark Fermentation." *Globalizacja a Regionalna Ochrona Srodowiska* 1: 313–17.
- Sołowski, Gawel, et al. 2018. "Hydrogen and Methane Production under Conditions of Dark Fermentation Process with Low Oxygen Concentration." In *Proceedings of the International Conference on Reuse and Recycling (ICRM 2018)*, Kottayam, Kerala, India, ed. Thomas Sabu. Kottayam.
- Sołowski, Gawel, et al. 2018. "Oxygen Sensitivity of Hydrogenesis ' and Methanogenesis '." *Contemporary Problems of Power Engineering and Environmental Protection* 2017: 157–59.